



08045

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision Date: June 19, 2015

Supersedes: 07/20/2010

Version: 1.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE AND COMPANY CONTACT INFORMATION

1.1. Product Identifier

Product Code: 08045

Variants: -000

Synonyms: Water based Adhesive

1.2. Intended End Use of the Product

Adhesive

1.3. Supplier Contact Information

Evans Adhesive

925 Old Henderson Rd

Columbus OH 43220

T 614-451-2665

www.evansadhesive.com

1.4. Emergency Telephone Number

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC – 800-424-9300

SECTION 2: HAZARDS IDENTIFICATION

2.1. Hazard Classification of the Substance

Carc. 2

H351

2.2. Label Elements

Signal Word: Warning

Hazard Statements: H351 – Suspected of causing cancer if inhaled

Hazard Pictograms:



GHS08

Precautionary Statements: P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P264 - Wash exposed areas thoroughly after handling.

P280 - Wear eye protection, protective clothing, and protective gloves.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

P362 - Take off contaminated clothing.

P405 - Store locked up

P501 - Dispose of contents/container according to local, regional, national, and international regulations.

2.3. Other Hazards

Exposure may aggravate those with pre-existing eye, skin or respiratory conditions

SECTION 3: COMPOSITION/INFORMATION ON RAW MATERIALS

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product Identifier	%	Classification
Vinyl Acetate	(CAS No) 108-05-4	<0.5	Carc. 2, H351

3.3. Chemicals with Trade Secret Claimed

Not applicable

SECTION 4: FIRST AID MEASURES**4.1. First Aid Instructions**

After Inhalation: When symptoms occur, go into open air and ventilate suspected area. If you feel unwell, seek medical advice.

After Skin Contact: Rinse immediately with plenty of water (for at least 15 minutes). Obtain medical attention if irritation persists (show the label where possible).

After Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing. Obtain medical attention if irritation persists.

After Ingestion: Rinse mouth. Do NOT induce vomiting.

4.2. Potential symptoms and effects (both acute and delayed)

Symptoms/Injuries: None known.

After Inhalation: None known.

After Skin Contact: None known.

After Eye Contact: None known.

After Ingestion: None known.

Chronic Symptoms: May cause cancer.

4.3. Recommendations if Immediate Medical Attention is Needed

If you feel unwell, seek medical advice (show the label where possible).

SECTION 5: FIREFIGHTING MEASURES**5.1. Extinguishing Media**

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream may spread fire.

5.2. Specific Hazards Arising From the Substance

Fire Hazard: Not flammable but may burn at high temperatures.

Explosion Hazard: In a fire or if heated, a pressure increase will occur and the container may burst.

Reactivity: None known.

5.3. Recommendations for Firefighters

Firefighting Instructions: Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering environment.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1. Personal Precautions, Protective Equipment and Emergency Procedures**

General Measures: Do not allow product to spread into the environment. Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mist. Provide adequate ventilation.

6.1.1. For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection. Concerning disposal elimination after cleaning, see item 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Precautions for Safe Handling: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

7.2. Conditions for Safe Storage, Including Incompatibilities

Storage Conditions: Store in a dry, cool and well-ventilated place. Protect from freezing.

Incompatible Products: Strong acids. Combustible materials. Strong bases.

7.3. Specific End Use(s)

Adhesive

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1. Control Parameters

Component	Value	OSHA	ACGIH
Vinyl Acetate	TWA	10 ppm 8 hrs	10 ppm 8 hrs
	STEL	20 ppm 15 mins	15 ppm 15 mins

8.2. Exposure Controls

Appropriate Engineering Controls: Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal Protective Equipment: Gloves. Safety glasses. Protective clothing.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or safety glasses.

Skin and Body Protection: Wear suitable protective clothing. Wash contaminated clothing before reuse.

Respiratory Protection: Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

Environmental Exposure Controls: Do not allow the product to be released into the environment.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: Off White
Odor	: Mild
Odor Threshold	: No data available
pH	: 4.0-5.0
Melting Point	: No data available
Freezing Point	: 0 °C (32 °F, Water)
Boiling Point	: 100 °C (212 °F, Water)

Flash Point	: Water Based System
Relative Evaporation Rate (butylacetate=1)	: <1
Flammability (solid, gas)	: Water Based System
Vapor Pressure	: 17.535 (Water)
Relative Vapor Density at 20 °C	: No data available
Relative Density	: No data available
Solubility	: Soluble in water
Partition coefficient: n-octanol/water	: No data available
Auto-ignition Temperature	: Water Based System
Decomposition Temperature	: No data available
Specific Gravity	: 1.03
Viscosity	: No data available

SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2 Chemical Stability:** Stable under normal ambient conditions.
- 10.3 Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4 Conditions to Avoid:** No specific data.
- 10.5 Incompatible Materials:** No specific data.
- 10.6 Hazardous Decomposition Products:** Under normal conditions, hazardous products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity : Not classified

Vinyl Acetate (108-05-4)	
LC50 Inhalation Vapor Rat – 4 hrs	11400 mg/m ³
LD50 Dermal Rabbit	2335 mg/kg
LD50 Oral Rat	2900 mg/kg

Skin Corrosion/Irritation: Not classified.

Serious Eye Damage/Irritation: Not classified.

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: May cause cancer.

Vinyl Acetate (108-05-4)	
IARC Group	2B

Reproductive Toxicity: Not classified.

Specific Target Organ Toxicity

(Single Exposure): Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified.

Aspiration Hazard: Not classified

Symptoms After Inhalation: Not classified.

Symptoms After Skin Contact: Not classified.

Symptoms After Eye Contact: Not classified.

Symptoms After Ingestion: Ingestion may be harmful or have adverse effects.

Chronic Symptoms: May cause cancer.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity: Harmful to aquatic life.

Vinyl Acetate (108-05-4)	
Acute EC50 Algae (<i>Pseudokirchnerella subcapitata</i>) – 96 hrs	8.81 mg/l
Acute EC50 <i>Daphnia</i> – 48 hrs	12.6 mg/l
Acute LC50 Crustaceans (<i>Crangon crangon</i> Larvae) – 48 hrs	10000-100000 µg/l marine water
Acute LC50 Fish (<i>Pimephales promelas</i>) – 96 hrs	14000 µg/l fresh water
Chronic NOEC Algae (<i>Pseudokirchnerella subcapitata</i>) – 96 hrs	1.58 mg/l

12.2. Persistence and Degradability: Readily biodegradable

12.3. Bioaccumulative Potential:

Vinyl Acetate (108-05-4)	
Log P _{ow}	0.73

12.4. Mobility in Soil: No additional information available

12.5. Other Adverse Effects

Avoid release to the environment

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

Additional Information: Avoid release to the environment

SECTION 14: TRANSPORT INFORMATION

In Accordance With ICAO/IATA/DOT/TDG

14.1. UN Number

Not regulated for transport

14.2. UN Proper Shipping Name

Not regulated for transport.

14.3. Additional Information

Transport by Sea: Not regulated for transport.

Air Transport: Not regulated for transport.

SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations

08045	
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard

Vinyl Acetate (108-05-4)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on United States SARA Section 313	
SARA Section 302 – TPQ	1000 lbs or 129 gallons
SARA Section 304 – RQ	5000 lbs or 644.8 gallons
SARA Section 313 - Emission Reporting	0.1 %

15.2 US State Regulations

Vinyl Acetate (108-05-4)	
U.S. – New York - Right To Know List	
U.S. - New Jersey - Right to Know Hazardous Substance List	

SECTION 16: OTHER INFORMATION

Revision Date: June 19th, 2015

Other Information: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Carc. 2	Carcinogen Category 2
H351	Suspected of causing cancer if inhaled

DISCLAIMER: *This information is based on our current knowledge as of the date of issuance (above) and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Reasonable care has been taken in the preparation of this information, but **THE MANUFACTURER MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR BASED ON COURSE OF PERFORMANCE OR USAGE OF TRADE, AND THE MANUFACTURER ASSUMES NO LIABILITY FOR ANY DIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM ITS USE.** User is responsible for determining whether this product is fit for a particular purpose and suitable for user's method of use or application. Because there are a variety of factors that may affect the use and application of this product, some of which are uniquely within the user's knowledge and control, the user should evaluate this product to determine whether it is fit for a particular purpose and suitable for the user's application or method of use.*

If this SDS is obtained electronically, via the Internet, please be advised that that due to the risk that electronic transfer may result in errors, omissions, or alternations in the original SDS from the manufacturer, manufacturer makes no representations as to its completeness or accuracy, and the version(s) available electronically via the Internet may not be the most recent, updated version of the SDS, copies of which can be obtained directly from the manufacturer.

SDS US (GHS HazCom) - US Only